Author Index 2006

Abdul-Ameer, A A	Machine tool axis dynamics	403
Abe, F	Properties of titanium dental implant models made by laser processing	857
Acar, M	The effect of nozzle geometry on the flow characteristics of small water jets	1739
Aguilera, L D	A group theoretical derivation of a more general mobility criterion for parallel manipulators	969
Ahn, Y	Simple structured polydimethylsiloxane microvalve actuated by external air pressure	1283
Aitchison, D R	A passively adaptive screwdriver: a novel concept for controlling off-diagonal stiffness	249
Akilli, H	Effect of inlet port on the flow in the cylinder of an internal combustion engine	73
Al-Hassani, S T S	A tube with a rectangular cut-out. Part 1: subject to pure bending	625
Al-Hassani, S T S	A tube with a rectangular cut-out. Part 2: subject to axial compression	645
Allen, D	Comparison between microfabrication technologies for metal tooling	1665
Aminudin, B A	Re-analysis of modal values by the change of design parameter	45
Angeles, J	Kinetostatic design of an innovative Schönflies-motion generator	935
Arafa, H A	Mechanical design pitfalls	887
Arora, N	Use of bimetallic welds in nuclear reactors: associated problems and structural integrity assessment issues	1121
Arunkumar, G	Design of displacement amplifying compliant mechanisms with integrated strain actuator using topology optimization	1219
Aydin, K	Effect of inlet port on the flow in the cylinder of an internal combustion engine	73
Baker, J E	Investigation of a cylindroid engendered by the Bennett linkage	945
Bakhtar, F	On the performance of a cascade of turbine rotor tip section blading in wet steam. Part 5: theoretical treatment	457
Barrera, J M	A group theoretical derivation of a more general mobility criterion for parallel manipulators	969
Barrot, A	Determining both radial pressure distribution and torsional stiffness of involute spline couplings	1727
Bashir, A	Delta robot: inverse, direct, and intermediate Jacobians	103
Beiski, B Z	Intelligent intraoral drug delivery microsystem	1609
Berry, C	Simulating the behaviour of folded cartons during complex packing operations	1797
Bhatnagar, R M	Noise reduction in linear variable differential transformer data of recoil motion measurement by numerical methods	159
Bi, G	Application of slice spectral correlation density to gear defect detection	1385
Bigot, S	RULES-F: a fuzzy inductive learning algorithm	1433
Boltežar, M	Non-linearity and non-smoothness in multi-body dynamics: application to woodpecker toy	285
Boran, K	Laser short-pulse heating: a theoretical analysis of electron excess energy dissipation in the early heating period	95
Bowen, C R	Failure and volume fraction dependent mechanical properties of composite sensors and actuators	1655
Brown, S G R	Numerical sensitivity and view factor calculation using the Monte Carlo method	697
Bundgaard, F	Rapid prototyping tools and methods for all-Topas® cyclic olefin copolymer fluidic microsystems	1625
Burdess, J S	Dynamic analysis of a microelectromechanical systems resonant gyroscope excited using combination parametric resonance	1463
Burley, S J	A tube with a rectangular cut-out. Part 1: subject to pure bending	625
Burley, S J	A tube with a rectangular cut-out. Part 2: subject to axial compression	645
Burrows, C R	Wavelet domain control of rotor vibration	167
Cain, M G	Failure and volume fraction dependent mechanical properties of composite sensors and actuators	1655
Cannella, F	Crease stiffness and panel compliance of carton folds and their integration in modelling	847
Carbone, G	Numerical and experimental analyses of radial cams with circular-arc profiles	111
Caro, S	Kinetostatic design of an innovative Schönflies-motion generator	935
Castillo, E	Delta robot: inverse, direct, and intermediate Jacobians	103
Ceccarelli, M	Numerical and experimental analyses of radial cams with circular-arc profiles	111
Ceccarelli, M	Design and evaluation of a discretely actuated multi-module parallel manipulator	513
Chai, Y G	Simple structured polydimethylsiloxane microvalve actuated by external air pressure	1283
Chamra, L M	Experimental comparison of condensers and evaporators for use in both bottom-mount and side-by-side refrigerator/freezer units	215
Chang, S-L	Study on the use of a non-circular gear train for the generation of Figure-8 patterns	1229

© IMechE 2006

Cheesewright, R	Virtual Coriolis flow meter: a tool for simulation and design	817
Chen, C-K	Exergetic efficiency optimization of a refrigeration system with multi-irreversibilities	1179
Chen, D	Non-linear dynamic simulation of mechanical periodicity of end-diastolic volume of left ventricle under the influence of baroreflex	357
Chen, F-C	Taguchi-fuzzy-based approach for the sensitivity analysis of a four-bar function generator	1413
Cheng, C-H	Investigation of droplet-ejection characteristics for a piezoelectric inkjet printhead	435
Chen, I-Y	Analysis of microdiffuser/nozzles	1289
Chen, J	Application of slice spectral correlation density to gear defect detection	1385
Chen, J	Acoustical feature extraction of rotating machinery with combined wave superposition and blind source separation	1423
Chhibber, R	Use of bimetallic welds in nuclear reactors: associated problems and structural integrity assessment issues	1121
Chieng, C C	Droplet ejection and the induced flowfield by microthermal bubble during growth/collapse process	1269
Choi, S B	New sliding mode controller for robotic manipulator subjected to disturbance and uncertainty	807
Choi, S B	Active vibration control of smart hull structures using piezoelectric actuators	1329
Choi, S-B	Robust vibration control of a flexible arm subjected to torque disturbance	149
Chu, W	Experimental and numerical investigation of a subsonic compressor with bend-skewed slot-casing treatment	1785
Chung, W-Y	Position analysis of Assur kinematic chains using coupler curves	1249
Churchman, C M	Asymptotic solutions for contact problems: the effect of an internal discontinuity in surface profile	387
Clark, C	Virtual Coriolis flow meter: a tool for simulation and design	817
Clifford, M J	Computational fluid dynamics modelling of a static mixer	325
Cole, M O T	Wavelet domain control of rotor vibration	167
Collins, M	Non-linear dynamic simulation of mechanical periodicity of end-diastolic volume of left ventricle under the influence of baroreflex	357
Congar, Y	Development of a multi-material micropump	1619
Cornwell, R E	Stress concentration factors for the torsion of curved beams of arbitrary cross-section	1709
Croce, G	Two-dimensional and three-dimensional self-sustained flow oscillations in interrupted fin heat exchangers	297
D'Agaro, P	Two-dimensional and three-dimensional self-sustained flow oscillations in interrupted fin heat exchangers	297
Dai, G-L	Finite-element analysis for a Timoshenko beam subjected to a moving mass	669
Dai, J S	Crease stiffness and panel compliance of carton folds and their integration in modelling	847
Dai, J S	Geometric analysis and characteristics of a three-fixed-pivoted multi-phalanx robotic finger	1075
Davies, G J	Novel die-sinking micro-electro discharge machining process using microelectro-mechanical systems technology	1481
Davies, T H	Freedom and constraint in coupling networks	989
Davies, T H	Dual coupling networks	1237
Dawes, W N	Review of evolution of compressor design process and future perspectives	761
Dent, A C	Failure and volume fraction dependent mechanical properties of composite sensors and actuators	1655
Di Giorgio, J	Design and evaluation of a discretely actuated multi-module parallel manipulator	513
Dimov, S	Micromilling strategies for machining thin features	1677
Dimov, S S	RULES-F: a fuzzy inductive learning algorithm	1433
Dimov, S S	Laser milling: modelling crater and surface formation	1685
Dini, D	When does a notch behave like a crack?	27
Dobrev, T	Laser milling: modelling crater and surface formation	1685
Dong, K	Wave propagation in piezoelectric laminated cylindrical shells under large deformations and rotary inertias	1537
Dooner, D B	On the invariance of gear tooth curvature	1083
Durodola, J F	A method for the simultaneous derivation of tensile and compressive behaviour of materials under Bauschinger effect using bend tests	1509
Dutta, B K	Use of bimetallic welds in nuclear reactors: associated problems and structural integrity assessment issues	1121
Ebrahimi, M	Machine tool axis dynamics	403
Ebrahimi, M	Multivariable system regulation	653
Eck, T	Measurement of vibrational energy and point mobility of a beam subjected to moment excitation using a finite-difference approximation	795
Edwards, D H	Non-linear analysis and modelling of the cellular mechanisms that regulate arterial vasomotion	367
Eichlseder, W	Dimensioning against fatigue – stress-based approach or fracture mechanics?	1109

 © IMechE 2006

Evans, S L	Degradation of recycled polyethylene film materials due to contamination encountered in the products' life cycle	593
Evans, S L	Thermal degradation of polyethylene film materials due to successive recycling	1099
Fang, R	A new method of creating expandable structure for spatial objects	1813
Fatemi, A	Dynamic analysis of loads and stresses in connecting rods	615
Fawad, H	Three-dimensional finite-element modelling of deformation in weld-based rapid prototyping	875
Fellows, N A	A method for the simultaneous derivation of tensile and compressive behaviour of materials under Bauschinger effect using bend tests	1509
Feng, L	Microactuation mechanism with piezoelectric element for magnetic recording head positioning for spin stand	1455
Feng, W	Residual thermal stresses simulation of television panel in the forming process. Part 2: simulations and validation	583
Ferdows, M	Density of CO_2 hydrate by Monte Carlo simulation	691
Fong, Z H	Evaluating the interlobe clearance and determining the sizes and shapes of all the leakage paths for twin-screw vacuum pump	499
Fong, Z-H	Theoretical and practical investigations regarding the influence of the Serration's geometry and position on the tooth surface roughness by shaving with plunge gear cutter	223
Gagnon-Lachance, D	Expandable polyhedral mechanisms based on polygonal one-degree-of-freedom faces	1011
Gallacher, B J	Dynamic analysis of a microelectromechanical systems resonant gyroscope excited using combination parametric resonance	1463
Gallardo, J	A group theoretical derivation of a more general mobility criterion for parallel manipulators	969
Gan, W W	Numerical approach to the kinematic analysis of deployable structures forming a closed loop	1045
Gao, Z Y	One-dimensional analysis on the dynamic response of cellular chains to pulse loading	679
García, G	Delta robot: inverse, direct, and intermediate Jacobians	103
Gaustad, M D	Numerical study of the effects of radiative heat losses on diffusion flames	1189
Geng, T	Residual thermal stresses simulation of television panel in the forming process. Part 2: simulations and validation	583
Geschke, O	Rapid prototyping tools and methods for all-Topas® cyclic olefin copolymer fluidic microsystems	1625
Ghassemieh, E	The effect of nozzle geometry on the flow characteristics of small water jets	1739
Glinsner, K	Dimensioning against fatigue – stress-based approach or fracture mechanics?	1109
Gänser, H-P	Dimensioning against fatigue – stress-based approach or fracture mechanics?	1109
Gomatam, J	Chaotic dynamics of microbubbles in ultrasonic fields	333
Gosselin, C M	Expandable polyhedral mechanisms based on polygonal one-degree-of-freedom faces	1011
Grah, M	Miniaturization of injection abrasive water jet machining process	1697
Gürcan, F	Eddy genesis and transformation of Stokes flow in a double-lid-driven cavity. Part 2: deep cavities	1765
Griffith, T M	Non-linear analysis and modelling of the cellular mechanisms that regulate arterial vasomotion	367
Griffiths, A J	Degradation of recycled polyethylene film materials due to contamination encountered in the products' life cycle	593
Griffiths, A J	Thermal degradation of polyethylene film materials due to successive recycling	1099
Göttsche, T	Intelligent intraoral drug delivery microsystem	1609
Guo, G	Measurement and monitoring of hard disk drive spindle motor bearing parameters using position error signal	1449
Guo, G	Microactuation mechanism with piezoelectric element for magnetic recording head positioning for spin stand	1455
Guo, H B	Dynamic analysis and simulation of a six degree of freedom Stewart platform manipulator	61
Guozhi, W	Research on the lubrication characteristics of water hydraulic slipper friction pairs	1559
Gupta, S R	Use of bimetallic welds in nuclear reactors: associated problems and structural integrity assessment issues	1121
Ham, J H	New sliding mode controller for robotic manipulator subjected to disturbance and uncertainty	807
Hartley, D M	Invariant measures of closeness to linear dependency of screw systems	1033
He, J	Application of slice spectral correlation density to gear defect detection	1385
He, J-L	Optimization of pinion roughing of spiral bevel and hypoid gear	483
He, Z	Microactuation mechanism with piezoelectric element for magnetic recording head positioning for spin stand	1455
Heinrich, K	Development of a multi-material micropump	1619
Henson, R J K	On the performance of a cascade of turbine rotor tip section blading in wet steam. Part 5: theoretical treatment	457
Herman, P	Algorithm for dynamics evaluation	1531
Herrero, A	Comparison between microfabrication technologies for metal tooling	1665

Hicks, B J	Simulating the behaviour of folded cartons during complex packing operations	1797
Hills, D A	When does a notch behave like a crack?	27
Hills, D A	Asymptotic solutions for contact problems: the effect of an internal discontinuity in surface profile	387
Horner, J L	Measurement of vibrational energy and point mobility of a beam subjected to moment excitation using a finite-difference approximation	795
Horton, J M	Stability of circular-section bonded rubber blocks subjected to compression and bending	1489
Houlston, P R	Extracting second-order system matrices from state space system	1147
Hredzak, B	Measurement and monitoring of hard disk drive spindle motor bearing parameters using position error signal	1449
Hsiao, K M	A case study of the five-point double-toggle mould clamping mechanism	527
Hsieh, C-F	Study on high volumetric efficiency of the Roots rotor profile with variable trochoid ratio	1375
Hsu, R-H	Theoretical and practical investigations regarding the influence of the Serration's geometry and position on the tooth surface roughness by shaving with plunge gear cutter	223
Huang, F C	Evaluating the interlobe clearance and determining the sizes and shapes of all the leakage paths for twin-screw vacuum pump	499
Huang, H-H	Taguchi-fuzzy-based approach for the sensitivity analysis of a four-bar function generator	1413
Huang, S-Z	Effect of temperature and strain rate on the shear properties of Ti–6Al–4V alloy	127
Huang, X	Collapse of square metal tubes in splitting and curling mode	1
Huanlong, L	Research on the lubrication characteristics of water hydraulic slipper friction pairs	1559
Hu, B	Analysis of kinematics and solution of active/constrained forces of asymmetric 2UPU + X parallel manipulators	1819
Hu, J	An analytical formula for estimating the bending angle by laser forming	243
Huh, K	Robust contact force estimation for robot manipulators in three-dimensional space	1317
Husty, M L	Workspace analysis of Stewart–Gough-type parallel manipulators	1019
Hwang, Y-W	Study on high volumetric efficiency of the Roots rotor profile with variable trochoid ratio	1375
Hynes, T P	A method for solving compressible flow equations in an unsteady free stream	185
Ibrahim, E A	Injection characteristics of non-swirling and swirling annular liquid sheets	203
Ilanko, S	A passively adaptive screwdriver: a novel concept for controlling off-diagonal stiffness	249
Ivanov, A	Comparison between microfabrication technologies for metal tooling	1665
Ivanov, A	Micromilling strategies for machining thin features	1677
Jerman, B	An enhanced mathematical model for investigating the dynamic loading of a slewing crane	421
Jiang, K	Novel die-sinking micro-electro discharge machining process using microelectro-mechanical systems technology	1481
Jian, K	Research on the lubrication characteristics of water hydraulic slipper friction pairs	1559
Jin, X S	Elastic–plastic finite-element analysis of repeated, two-dimensional wheel–rail rolling contact under time-dependent load	603
Jung, J	Robust contact force estimation for robot manipulators in three-dimensional space	1317
Junkar, M	Miniaturization of injection abrasive water jet machining process	1697
Jurisevic, B	Miniaturization of injection abrasive water jet machining process	1697
Kamthe, G M	Study of dead-centre positions of single-degree-of-freedom planar linkages using Assur kinematic chains	1057
Kapitaniak, T	Regular and chaotic oscillations of friction force	273
Karabasov, S A	A method for solving compressible flow equations in an unsteady free stream	185
Keogh, P S	Wavelet domain control of rotor vibration	167
Kerr, D R	Invariant measures of closeness to linear dependency of screw systems	1033
Khan, W	Kinetostatic design of an innovative Schönflies-motion generator	935
Kihiu, J M	Overstrain in flush optimal-chamfered cross-bored cylinders	15
Kim, C W	Analysis of vibration levels of large structural system with recursive component mode synthesis method: theory and convergence	1339
Kim, C W	Dynamic response of large structural system including non-proportional damping with recursive component mode synthesis method	1347
Kim, D-H	Model-based PID control of a crane spreader by four auxiliary cables	1151
Kim, D-J	Simple structured polydimethylsiloxane microvalve actuated by external air pressure	1283
Kim, H S	Active vibration control of smart hull structures using piezoelectric actuators	1329
Knoll, T	Intelligent intraoral drug delivery microsystem	1609
Kramar, D	Miniaturization of injection abrasive water jet machining process	1697
Kuboki, T	Thickness optimization of axisymmetric tube by three-dimensional finite-element analysis for high-flexural rigidity	473
Lai, T-S	Geometric design of a pinion with two circularly arrayed conical teeth for roller drives	1405
Lanni, C	Numerical and experimental analyses of radial cams with circular-arc profiles	111
Lanying, Y	Research on the lubrication characteristics of water hydraulic slipper friction pairs	1559
Laoui, T	Properties of titanium dental implant models made by laser processing	857
Lavery, N P	Numerical sensitivity and view factor calculation using the Monte Carlo method	697
Lee, J	Robust contact force estimation for robot manipulators in three-dimensional space	1317

 © IMechE 2006

Lee, J-W	Model-based PID control of a crane spreader by four auxiliary cables	1151
Lee, J Y	Re-analysis of modal values by the change of design parameter	45
Lee, S-W	Simple structured polydimethylsiloxane microvalve actuated by external air pressure	1283
Lee, W-S	Effect of temperature and strain rate on the shear properties of Ti–6Al–4V alloy	127
Leng, G S B	Design optimization of rotary-wing micro air vehicles	865
Liaqat, A	Finite-element modelling of thermo-mechanical stress distribution in laser beam ceramic tile grout sealing process	1497
Li, D Q	Residual thermal stresses simulation of television panel in the forming process. Part 1: modelling	573
Li, D Q	Residual thermal stresses simulation of television panel in the forming process. Part 2: simulations and validation	583
Li, G Q	Buckling of non-uniform columns with an arbitrary number of cracks	773
Li, H R	Dynamic analysis and simulation of a six degree of freedom Stewart platform manipulator	61
Li, J Q	Acoustical feature extraction of rotating machinery with combined wave superposition and blind source separation	1423
Li, J-B	Novel die-sinking micro-electro discharge machining process using microelectro-mechanical systems technology	1481
Li, J-G	Optimization of pinion roughing of spiral bevel and hypoid gear	483
Li, L	Thermal history analysis of surface heating of mild steel with different laser beam geometries	1549
Li, Q S	Buckling of non-uniform columns with an arbitrary number of cracks	773
Lin, C-F	Effect of temperature and strain rate on the shear properties of Ti–6Al–4V alloy	127
Lin, C-T	Investigation of droplet-ejection characteristics for a piezoelectric inkjet printhead	435
Lin, W Y	A case study of the five-point double-toggle mould clamping mechanism	527
Liu, H	Profile cutting on alumina ceramics by abrasive waterjet. Part 1: experimental investigation	703
Liu, H	Profile cutting on alumina ceramics by abrasive waterjet. Part 2: cutting performance models	715
Liu, J-Y	Study on the use of a non-circular gear train for the generation of Figure-8 patterns	1229
Liu, M-S	Analysis of microdiffuser/nozzles	1289
Liu, Q	Numerical calculation of centrifugal fan noise	1167
Liu, X F	Acoustical feature extraction of rotating machinery with combined wave superposition and blind source separation	1423
Loh, H T	Microactuation mechanism with piezoelectric element for magnetic recording head positioning for spin stand	1455
Lopez-Castro, A	A method for the simultaneous derivation of tensile and compressive behaviour of materials under Bauschinger effect using bend tests	1509
Lou, P	Finite-element analysis for a Timoshenko beam subjected to a moving mass	669
López, M	Delta robot: inverse, direct, and intermediate Jacobians	103
Lu, G	Collapse of square metal tubes in splitting and curling mode	1
Lu, X	Experimental and numerical investigation of a subsonic compressor with bend-skewed slot-casing treatment	1785
Lu, Y	Analysis of kinematics and solution of active/constrained forces of asymmetric 2UPU + X parallel manipulators	1819
Luo, Z	Geometric analysis and characteristics of a three-fixed-pivoted multi-phalanx robotic finger	1075
Luu, T T	Techniques for increasing the effectiveness of anti-vibration in Scott–Russel linkage isolators	1843
Macdonald, C A	Chaotic dynamics of microbubbles in ultrasonic fields	333
Madhusudhan, K	New cyclone separator-based prefilter design for internal combustion engine applications. Part 1: experiments and simulation	1353
Madhusudhan, K	A new cyclone separator-based pre-filter design for internal combustion engine applications. Part 2: parametric study and optimization	1755
Ma, W W	Bifurcations, transitions, and attractors of real open flows	345
Mago, P J	Experimental comparison of condensers and evaporators for use in both bottom-mount and side-by-side refrigerator/freezer units	215
Makiyama, T	Thickness optimization of axisymmetric tube by three-dimensional finite-element analysis for high-flexural rigidity	473
Mao, S-M	Optimization of pinion roughing of spiral bevel and hypoid gear	483
Mao, Y	Numerical calculation of centrifugal fan noise	1167
Marsh, R	Degradation of recycled polyethylene film materials due to contamination encountered in the products' life cycle	593
Marsh, R	Thermal degradation of polyethylene film materials due to successive recycling	1099
Mashmoushy, H	On the performance of a cascade of turbine rotor tip section blading in wet steam. Part 5: theoretical treatment	457
Mathur, S	Performance optimization for two-dimensional rectangular diffuser by momentum injection using computational fluid dynamics	1775

Matovic, J	Application of Ni electroplating techniques towards stress-free microelectromechanical system-based sensors and actuators	1645
McCallion, H	A passively adaptive screwdriver: a novel concept for controlling off-diagonal stiffness	249
McCarthy, J M	Kinematic synthesis of spatial serial chains using Clifford algebra exponentials	953
McGill, R A	Modelling and measurements of a composite microcantilever beam for chemical sensing applications	1601
McKinney, T R	Injection characteristics of non-swirling and swirling annular liquid sheets	203
Medland, A J	Simulating the behaviour of folded cartons during complex packing operations	1797
Meijerink, M G H	Design study of a capacitive pressure sensor in non-silicon materials	1633
Meng, F	Study on the reliability evaluation method of the wear life of roller chains	1569
Meuwissen, M H H	Design study of a capacitive pressure sensor in non-silicon materials	1633
Molinari, M	Review of evolution of compressor design process and future perspectives	761
Morita, M	Properties of titanium dental implant models made by laser processing	857
Morozov, A	Kinetostatic design of an innovative Schönflies-motion generator	935
Mufti, R A	Three-dimensional finite-element modelling of deformation in weld-based rapid prototyping	875
Mughal, M P	Three-dimensional finite-element modelling of deformation in weld-based rapid prototyping	875
Mullineux, G	Simulating the behaviour of folded cartons during complex packing operations	1797
Mundo, D	Study on the use of a non-circular gear train for the generation of Figure-8 patterns	1229
Murata, M	Thickness optimization of axisymmetric tube by three-dimensional finite-element analysis for high-flexural rigidity	473
Murray, D B	Jet heat transfer in the vicinity of a rotating grinding wheel	837
Mutuli, S M	Overstrain in flush optimal-chamfered cross-bored cylinders	15
Narasimhan, M V	A new cyclone separator-based pre-filter design for internal combustion engine applications. Part 2: parametric study and optimization	1755
Narasimhan, M V	New cyclone separator-based prefilter design for internal combustion engine applications. Part 1: experiments and simulation	1353
Nelson, L J	Failure and volume fraction dependent mechanical properties of composite sensors and actuators	1655
Neumayer, G	Development of a multi-material micropump	1619
Ng, T T H	Design optimization of rotary-wing micro air vehicles	865
Nissen, J	Development of a multi-material micropump	1619
O'Donovan, T S	Jet heat transfer in the vicinity of a rotating grinding wheel	837
Oh, J-E	Re-analysis of modal values by the change of design parameter	45
Oosterling, H	Comparison between microfabrication technologies for metal tooling	1665
Orbanic, H	Miniaturization of injection abrasive water jet machining process	1697
Orozco, H	A group theoretical derivation of a more general mobility criterion for parallel manipulators	969
Osakada, K	Properties of titanium dental implant models made by laser processing	857
Ota, M	Density of CO_2 hydrate by Monte Carlo simulation	691
Ottaviano, E	Numerical and experimental analyses of radial cams with circular-arc profiles	111
Ottaviano, E	Design and evaluation of a discretely actuated multi-module parallel manipulator	513
Pan, C	Droplet ejection and the induced flowfield by microthermal bubble during growth/collapse process	1269
Paredes, M	Determining both radial pressure distribution and torsional stiffness of involute spline couplings	1727
Park, S T	Techniques for increasing the effectiveness of anti-vibration in Scott–Russel linkage isolators	1843
Parthimos, D	Non-linear analysis and modelling of the cellular mechanisms that regulate arterial vasomotion	367
Pellegrino, S	Numerical approach to the kinematic analysis of deployable structures forming a closed loop	1045
Pennock, G R	Study of dead-centre positions of single-degree-of-freedom planar linkages using Assur kinematic chains	1057
Perez-Gracia, A	Kinematic synthesis of spatial serial chains using Clifford algebra exponentials	953
Pernkopf, F	Workspace analysis of Stewart–Gough-type parallel manipulators	1019
Perozziello, G	Rapid prototyping tools and methods for all-Topas® cyclic olefin copolymer fluidic microsystems	1625
Pham, D T	RULES-F: a fuzzy inductive learning algorithm	1433
Pham, D T	Micromilling strategies for machining thin features	1677
Popov, K	Micromilling strategies for machining thin features	1677
Qi, D	Numerical calculation of centrifugal fan noise	1167
Qin, L	Microelectromechanical coupled dynamics	1589
Rading, G O	Overstrain in flush optimal-chamfered cross-bored cylinders	15

 © IMechE 2006

Ragab, A R	Plastic flow in extrusion and drawing through conical and wedge-shaped dies: prediction of central bursting	1201
Rangel, R H	Geometrical characterization of canted coil springs	1831
Rao, S S	Fuzzy analysis of geometric tolerances using interval method	489
Ravikrishna, R V	New cyclone separator-based prefilter design for internal combustion engine applications. Part 1: experiments and simulation	1353
Ravikrishna, R V	A new cyclone separator-based pre-filter design for internal combustion engine applications. Part 2: parametric study and optimization	1755
Richter, M	Development of a multi-material micropump	1619
Rico, J M	A group theoretical derivation of a more general mobility criterion for parallel manipulators	969
Roberts, J	Computational fluid dynamics modelling of a static mixer	325
Rodriguez, R	A group theoretical derivation of a more general mobility criterion for parallel manipulators	969
Sackfield, A	Asymptotic solutions for contact problems: the effect of an internal discontinuity in surface profile	387
Safdar, S	Finite-element modelling of thermo-mechanical stress distribution in laser beam ceramic tile grout sealing process	1497
Safdar, S	Thermal history analysis of surface heating of mild steel with different laser beam geometries	1549
Sahin, B	Effect of inlet port on the flow in the cylinder of an internal combustion engine	73
Sahinkaya, M N	Wavelet domain control of rotor vibration	167
Saleh, Ch A R	Plastic flow in extrusion and drawing through conical and wedge-shaped dies: prediction of central bursting	1201
Samy, S N	Plastic flow in extrusion and drawing through conical and wedge-shaped dies: prediction of central bursting	1201
Santos, E	Properties of titanium dental implant models made by laser processing	857
Sartor, M	Determining both radial pressure distribution and torsional stiffness of involute spline couplings	1727
Savage, M D	Eddy genesis and transformation of Stokes flow in a double-lid-driven cavity. Part 2: deep cavities	1765
Schlindwein, F S	Comparison of integrated micro-electrical-mechanical system and piezoelectric accelerometers for machine condition monitoring	1135
Schmidt, M J	Thermal history analysis of surface heating of mild steel with different laser beam geometries	1549
Scholz, O	Intelligent intraoral drug delivery microsystem	1609
Schuck, H	Intelligent intraoral drug delivery microsystem	1609
Schumacher, A	Intelligent intraoral drug delivery microsystem	1609
Shaik, S K	Properties of titanium dental implant models made by laser processing	857
Shamim, T	Numerical study of the effects of radiative heat losses on diffusion flames	1189
Sheikh, M A	Finite-element modelling of thermo-mechanical stress distribution in laser beam ceramic tile grout sealing process	1497
Sheikh, M A	Thermal history analysis of surface heating of mild steel with different laser beam geometries	1549
Shen, C L	A case study of the five-point double-toggle mould clamping mechanism	527
Shen, H	An analytical formula for estimating the bending angle by laser forming	243
Shen, H	Laser forming of plates using two sequent scans of different intervals	507
Shenoi, R A	Single-point likelihood method to determine a generalized S–N surface	1519
Shenoy, P S	Dynamic analysis of loads and stresses in connecting rods	615
Shi, Y	An analytical formula for estimating the bending angle by laser forming	243
Shi, Y	Laser forming of plates using two sequent scans of different intervals	507
Shiomi, M	Properties of titanium dental implant models made by laser processing	857
Simmons, K A	Computational fluid dynamics modelling of a static mixer	325
Singhal, T	Performance optimization for two-dimensional rectangular diffuser by momentum injection using computational fluid dynamics	1775
Singh, R K	Performance optimization for two-dimensional rectangular diffuser by momentum injection using computational fluid dynamics	1775
Singh, S N	Performance optimization for two-dimensional rectangular diffuser by momentum injection using computational fluid dynamics	1775
Sirkett, D M	Simulating the behaviour of folded cartons during complex packing operations	1797
Slavič, J	Non-linearity and non-smoothness in multi-body dynamics: application to woodpecker toy	285
Sohn, J W	Active vibration control of smart hull structures using piezoelectric actuators	1329
Soler, J M	Geometrical characterization of canted coil springs	1831
Spitas, C	Generating standard 20° involute pinions with increased fillet strength by using 25° rack cutters with non-standard module	1297
Spitas, C	Can non-standard involute gears of different modules mesh?	1305

Spitas, V	Generating standard 20° involute pinions with increased fillet strength by using 25° rack cutters with non-standard module	1297
Spitas, V	Can non-standard involute gears of different modules mesh?	1305
Srinivasan, P S S	Design of displacement amplifying compliant mechanisms with integrated strain actuator using topology optimization	1219
Staemmler, L	Comparison between microfabrication technologies for metal tooling	1665
Stefański, A	Regular and chaotic oscillations of friction force	273
Stevens, R	Failure and volume fraction dependent mechanical properties of composite sensors and actuators	1655
Stewart, M	Failure and volume fraction dependent mechanical properties of composite sensors and actuators	1655
Stolarski, T A	Self-lifting contacts: from physical fundamentals to practical applications	1211
Subic, A	Two-dimensional lubrication analysis and design optimization of a Scotch Yoke engine linear bearing	1575
Su, Y-F	Exergetic efficiency optimization of a refrigeration system with multi-irreversibilities	1179
Takahashi, M	Properties of titanium dental implant models made by laser processing	857
Tang, P T	Comparison between microfabrication technologies for metal tooling	1665
Thanagasundram, S	Comparison of integrated micro-electrical-mechanical system and piezoelectric accelerometers for machine condition monitoring	1135
Thomas, A J	Laser milling: modelling crater and surface formation	1685
Tian, Y-B	A new method of creating expandable structure for spatial objects	1813
Tijdink, M W W J	Design study of a capacitive pressure sensor in non-silicon materials	1633
Tolochko, N K	Properties of titanium dental implant models made by laser processing	857
Torrance, A A	Jet heat transfer in the vicinity of a rotating grinding wheel	837
Trendafilova, I	Vibration-based damage detection in structures using time series analysis	261
Truscot, T D	Computational fluid dynamics modelling of a static mixer	325
Tsai, C-C	On the dead-centre position analysis of Stephenson six-link linkages	1393
Tseng, F	Droplet ejection and the induced flowfield by microthermal bubble during growth/collapse process	1269
Tseng, W-K	Minimization of maximum acoustic pressure over space and frequency	447
Tupholme, G E	Stability of circular-section bonded rubber blocks subjected to compression and bending	1489
Uriarte, L	Comparison between microfabrication technologies for metal tooling	1665
Urriolagoitia-Sosa, G	A method for the simultaneous derivation of tensile and compressive behaviour of materials under Bauschinger effect using bend tests	1509
Vadasz, P	Chaotic dynamics and hysteresis in thermal convection	309
Varone, M	Design and evaluation of a discretely actuated multi-module parallel manipulator	513
Vartdal, B J	A tube with a rectangular cut-out. Part 1: subject to pure bending	625
Vartdal, B J	A tube with a rectangular cut-out. Part 2: subject to axial compression	645
Velayati, E	Conjugate heat transfer from surface-mounted finite blunt plates	83
Velten, T	Intelligent intraoral drug delivery microsystem	1609
Veninga, E P	Design study of a capacitive pressure sensor in non-silicon materials	1633
Versteeg, H K	The effect of nozzle geometry on the flow characteristics of small water jets	1739
Vignola, J F	Modelling and measurements of a composite microcantilever beam for chemical sensing applications	1601
Voiculescu, I R	Modelling and measurements of a composite microcantilever beam for chemical sensing applications	1601
Vujičić, M R	Numerical sensitivity and view factor calculation using the Monte Carlo method	697
Wackerle, M	Development of a multi-material micropump	1619
Walsh, S J	Measurement of vibrational energy and point mobility of a beam subjected to moment excitation using a finite-difference approximation	795
Wang, B	The scattering of the harmonic anti-plane shear stress waves by two collinear interface cracks between two dissimilar functionally graded piezoelectric/piezomagnetic material half-infinite planes dynamic loading	137
Wang, C-C	Analysis of an aerodynamic grooved journal bearing with plain sleeve	51
Wang, C-C	Analysis of microdiffuser/nozzles	1289
Wang, H-N	Transient response of active magnetic bearing rotor during rotor drop on backup bearings	785
Wang, J	Profile cutting on alumina ceramics by abrasive waterjet. Part 1: experimental investigation	703
Wang, J	Profile cutting on alumina ceramics by abrasive waterjet. Part 2: cutting performance models	715
Wang, L T	On the dead-centre position analysis of Stephenson six-link linkages	1393
Wang, Q	Non-linear dynamic simulation of mechanical periodicity of end-diastolic volume of left ventricle under the influence of baroreflex	357
Wang, S	Virtual Coriolis flow meter: a tool for simulation and design	817
Wang, X	Wave propagation in piezoelectric laminated cylindrical shells under large deformations and rotary inertias	1537

 © IMechE 2006

Wang, X	Two-dimensional lubrication analysis and design optimization of a Scotch Yoke engine linear bearing	1575
Wang, Y	Study on the reliability evaluation method of the wear life of roller chains	1569
Watson, H	Two-dimensional lubrication analysis and design optimization of a Scotch Yoke engine linear bearing	1575
Wattananusorn, S	New space-averaging procedure for inhomogeneous flow fields using balance equation formulations	1363
Wei, X-Z	A new method of creating expandable structure for spatial objects	1813
Wen, Z F	Elastic–plastic finite-element analysis of repeated, two-dimensional wheel–rail rolling contact under time-dependent load	603
Whalley, R	Machine tool axis dynamics	403
Whalley, R	Multivariable system regulation	653
Wiercigroch, M	Regular and chaotic oscillations of friction force	273
Williams, K P	Degradation of recycled polyethylene film materials due to contamination encountered in the products' life cycle	593
Williams, K P	Thermal degradation of polyethylene film materials due to successive recycling	1099
Wilson, M C T	Eddy genesis and transformation of Stokes flow in a double-lid-driven cavity. Part 2: deep cavities	1765
Wojewoda, J	Regular and chaotic oscillations of friction force	273
Wolff, A	Intelligent intraoral drug delivery microsystem	1609
Wong, W E	Microactuation mechanism with piezoelectric element for magnetic recording head positioning for spin stand	1455
Wood, D A	Making better springs using aspects of chaos theory	253
Wu, T F	Droplet ejection and the induced flowfield by microthermal bubble during growth/collapse process	1269
Wu, T X	Analytical study on torsional vibration of circular and annular plate	393
Wu, W	Fuzzy analysis of geometric tolerances using interval method	489
Wu, X-T	Optimization of pinion roughing of spiral bevel and hypoid gear	483
Wu, Z	Buckling of non-uniform columns with an arbitrary number of cracks	773
Xie, X L	Bifurcations, transitions, and attractors of real open flows	345
Xi, G D	Residual thermal stresses simulation of television panel in the forming process. Part 1: modelling	573
Xiong, J J	Single-point likelihood method to determine a generalized S–N surface	1519
Xue, W F	Acoustical feature extraction of rotating machinery with combined wave superposition and blind source separation	1423
Xu, L	Microelectromechanical coupled dynamics	1589
Xu, S	Non-linear dynamic simulation of mechanical periodicity of end-diastolic volume of left ventricle under the influence of baroreflex	357
Xu, S	Study on the reliability evaluation method of the wear life of roller chains	1569
Yaghoubi, M	Conjugate heat transfer from surface-mounted finite blunt plates	83
Yang, A-S	Investigation of droplet-ejection characteristics for a piezoelectric inkjet printhead	435
Yang, I D	Droplet ejection and the induced flowfield by microthermal bubble during growth/collapse process	1269
Yang, K-S	Analysis of microdiffuser/nozzles	1289
Yao, Y-A	A new method of creating expandable structure for spatial objects	1813
Yao, Z	An analytical formula for estimating the bending angle by laser forming	243
Yao, Z	Laser forming of plates using two sequent scans of different intervals	507
Yasar, A	Effect of inlet port on the flow in the cylinder of an internal combustion engine	73
Yilbas, B S	Laser short-pulse heating: a theoretical analysis of electron excess energy dissipation in the early heating period	95
Yu, R J	Droplet ejection and the induced flowfield by microthermal bubble during growth/collapse process	1269
Yu, T X	Collapse of square metal tubes in splitting and curling mode	1
Yu, T X	One-dimensional analysis on the dynamic response of cellular chains to pulse loading	679
Zaghloul, M E	Modelling and measurements of a composite microcantilever beam for chemical sensing applications	1601
Zdaniuk, G J	Experimental comparison of condensers and evaporators for use in both bottom-mount and side-by-side refrigerator/freezer units	215
Zeng, Q-Y	Finite-element analysis for a Timoshenko beam subjected to a moving mass	669
Zeng, S	Transient response of active magnetic bearing rotor during rotor drop on backup bearings	785
Zhang, J	Measurement and monitoring of hard disk drive spindle motor bearing parameters using position error signal	1449
Zhang, J-Q	Transient response of active magnetic bearing rotor during rotor drop on backup bearings	785
Zhang, Y	Experimental and numerical investigation of a subsonic compressor with bend-skewed slot-casing treatment	1785

© IMechE 2006

Zhou, F C	Application of slice spectral correlation density to gear defect detection	1385
Zhou, H L	Bifurcations, transitions, and attractors of real open flows	345
Zhou, H M	Residual thermal stresses simulation of television panel in the forming process. Part 1: modelling	573
Zhou, H M	Residual thermal stresses simulation of television panel in the forming process. Part 2: simulations and validation	583
Zhou, Z-G	The scattering of the harmonic anti-plane shear stress waves by two collinear interface cracks between two dissimilar functionally graded piezoelectric/piezomagnetic material half-infinite planes dynamic loading	137
Zhu, C	Microelectromechanical coupled dynamics	1589
Zhu, J	Experimental and numerical investigation of a subsonic compressor with bend-skewed slot-casing treatment	1785

 © IMechE 2006